

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S2	35	"379"/\$.ccls. and (GIS or (geographic adj Information adj System\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/17 10:47
S3	23	(SCP) and (latitude and longitude) and (rout\$4 with call\$1) and "379"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/17 08:44
S4	63	(latitude and longitude) and (rout\$4 with call\$1) and "379"/\$.ccls. and (response or respond)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/08/04 07:03
S5	698	(rout\$4 with call\$1) and "379"/\$.ccls. and (response or respond) with (menu or prompt)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/08/04 07:04
S6	120	((rout\$4 with call\$1) same (response or respond) with (menu or prompt)) and "379"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/08/04 07:07
S7	115	((rout\$4 with call\$1) same (response or respond) with (menu or prompt) and (time or duration)) and "379"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/08/04 07:08
S8	20	((rout\$4 with call\$1) same (response or respond) with (menu or prompt) same (time or duration)) and "379"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/09 14:43
S9	36	((rout\$4 with call\$1) same (response or respond) with (menu or prompt) same (time or duration))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/08/04 07:44
S10	16	((((rout\$4 with call\$1) same (response or respond) with (menu or prompt) same (time or duration))) not (((rout\$4 with call\$1) same (response or respond) with (menu or prompt) same (time or duration)) and "379"/\$.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/08/04 07:40

S11	18	((rout\$4 with call\$1) same (response or respond) with (default) same (time or duration))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/08/04 07:44
S12	6	((("5588048") or ("6091810") or ("20020136381"))).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/09 10:01
S13	40	"379"/\$.ccls. and (GIS or (geographic adj Information adj System\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/09 14:43
S14	25	(SCP) and (latitude and longitude) and (rout\$4 with call\$1) and "379"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/09 14:59
S15	2247	(GIS or (geographic adj Information adj System\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/09 14:49
S16	11	(SSP and SCP) and ((GIS or (geographic adj Information adj System\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/09 14:44
S17	896	((geographic adj Information adj System\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/09 14:49
S18	32	((((geographic adj Information adj System\$1))) with (number))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/09 14:50
S19	66	(SCP) and (latitude and longitude) and (rout\$4 with call\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/09 15:03
S20	29	(SCP) and (latitude and longitude) with number	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/17 08:45

S21	1	number with based with address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/09 15:15
S22	1	number with based with address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/09 15:15
S23	8046	number with based with address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/09 15:16
S24	7071	number with based with address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/09 15:33
S25	26	(number with based with address) and GIS	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/12 11:38
S26	44	number with based with (street with address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/09 15:33
S27	2	(obtain\$3 or retrieving) with number with based with (street with address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/09 15:33
S28	25	(obtain\$3 or retrieving) with number with (street with address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/12 08:18
S29	3094	(obtain\$3 or retrieving) with number with (location)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/09 15:46
S30	215	(obtain\$3 or retrieving) with (telephone adj number) with (location)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/09 15:46

S31	6	((("5903833") or ("6038451") or ("5978673")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/12 08:00
S32	52	(obtain\$3 or retrieving) with number same (street with address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/12 08:18
S33	31	("Re36111" "3614328" "4191860" "4611094" "4757267" "4797818" "4924510" "4954958" "5001710" "5018191" "5023904" "5029196" "5033079" "5095505" "5136636" "5163087" "5390232" "5465286" "5506897" "5533107" "5548637" "5588048" "5771283" "5805688" "5805689" "5848131" "5878126" "5901214" "5907608" "5910982" "5956397").PN.	USPAT	OR	OFF	2004/01/12 11:32
S34	82	"4757267" and (select with caller)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/12 10:15
S35	1	"4757267".pn. and (select with caller)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/12 10:15
S36	10530	(select\$4 with number\$4 with (menu or list))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/12 11:33
S37	492	(select\$4 with number\$4 with plurality with (menu or list))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/12 11:33
S38	16	((select\$4 with number\$4 with plurality with (menu or list))) and (nearby)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/12 11:33

S39	80	(menu same number\$1) and GIS	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/12 11:39
S40	40	(menu with number\$1) and GIS	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/12 11:39
S41	11	caller with select\$3 with closest with number	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/12 11:51
S42	0	caller with opyion\$3 with closest with number	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/12 11:51
S43	0	caller with option\$3 with closest with number	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/12 11:51
S44	22	caller with select\$3 with nearby with number	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/12 11:52
S45	7	caller with select\$3 with nearby with location	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/12 11:52
S46	8	caller with select\$3 with nearby with location	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/12 11:52
S47	8	caller with select\$3 with nearby with locations	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/12 11:53
S48	0	caller with select\$3 with near-by with locations	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/12 11:53

S49	55	caller with nearby with number\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/12 11:53
S50	4	((("6091810") or ("4757267"))).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/02/10 09:43
S51	2	((("6091810") or ("4757267"))).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2004/02/10 09:43
S52	41	"379"/\$.ccls. and (GIS or (geographic adj Information adj System\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/19 10:01
S53	2	("6473506").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/17 07:40
S54	6	((("5185781") or ("5163083") or ("5181237") or ("5014303"))).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/17 07:41
S55	2	("5479488").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/17 08:18
S56	2	("5920623").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/17 08:18
S57	4	"5920623".URPN.	USPAT	OR	OFF	2004/03/17 08:23
S58	62	(GIS or (geographic adj Information adj System\$1)) and (forward\$4 with number)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/17 11:03

S59	25	(GIS or (geographic adj Information adj System\$1)) and SCP	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/19 06:57
S60	0	(latitude and logitude) and SCP	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/19 06:57
S61	92	(latitude and longitude) and SCP	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/19 06:58
S62	82	((latitude and longitude) and SCP) and rout\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/19 06:58
S63	311	"4757267".URPN.	USPAT	OR	OFF	2004/03/19 07:02
S64	12	"6163597".URPN.	USPAT	OR	OFF	2004/03/19 09:16
S65	384	"379"/\$.ccls. and (GIS or (geographic adj Information adj System\$1) or geographic) and menu	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/19 10:02
S66	14	"379"/\$.ccls. and (GIS or (geographic adj Information adj System\$1)) and menu	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/17 08:43
S67	311	"4757267".URPN.	USPAT	OR	OFF	2004/03/19 10:06
S68	87	"4757267".URPN. and (prompt\$4 with select\$4)	USPAT	OR	OFF	2004/03/19 10:06
S69	58	"4757267".URPN. and (menu with select\$4)	USPAT	OR	OFF	2004/03/25 13:00
S70	2	("6163597").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/25 13:58
S71	2	("5481533").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/25 14:00
S72	94	"5481533".URPN.	USPAT	OR	OFF	2004/03/25 14:00

S75	2	("6112080").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/25 14:02
S76	2	("5963861").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/26 08:19
S77	2	("5920820").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/28 14:40
S78	4	((("6163597") or ("5963861"))).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/26 10:36
S79	16	"379"/\$.ccls. and (GIS or (geographic adj Information adj System\$1)) and menu	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/17 08:44
S80	32	(SCP) and (latitude and longitude) and (rout\$4 with call\$1) and "379"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/17 08:49
S81	43	(SCP) and (latitude and longitude) with number	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/17 08:45
S82	12	(SCP) and (latitude and longitude) same (rout\$4 with call\$1) and "379"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/17 08:50
S83	0	(SCP) and (x-y) same (rout\$4 with call\$1) and "379"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/17 08:50

S84	16	(SCP) and (latitude and longitude) same (rout\$4 with call\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/17 08:50
S85	0	(SCP) and (x-y) same (rout\$4 with call\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/17 08:50